


Arlo Pro Quick Start Guide

What's Included



Base station





Ethernet cable

Welcome

Thank you for choosing Arlo Pro. Getting started is easy.



Arlo Pro Wire-Free camera



Rechargeable battery



adapter



Camera power adapter cable



Magnetic wall mounts



1) Insert the Battery Into Your Camera

- a. Unlock the battery compartment by pressing and holding the latch.
- b. Gently pull the battery door back to open the compartment.



- c. Align the battery contacts.
- d. Insert the battery.



e. Close the battery door.

Note: The Arlo Pro battery is fully charged when it leaves the factory.



2 Get the App

For the best experience, download the Arlo app for your smartphone by scanning this QR code or searching for Arlo in the app store.











https://arlo.netgear.com


Note: If you already use the Arlo app, make sure that you are using the latest version. To find out if an update is available, go to the app store and search for Arlo.

3 Connect Your Base Station to the Internet

a. Connect the base station to your router using an Ethernet cable.















4 Get an Account

Launch the app from your smartphone and tap the **New System Setup** button. Follow the onscreen instructions.

Or from a computer, visit https://arlo.netgear.com and follow the onscreen instructions.





5 Sync Your Cameras With the Base Station

a. Bring the camera within 1 to 3 feet (30 to 100 centimeters) of the base station.

Note: Cameras must be synced one at a time.



 Press the **Sync** button on the top of the base station for about two seconds and then release the button.



- c. Wait for the Sync Status LED to blink green.
- d. Press the **Sync** button on top of the camera for about two seconds and then release the button.

arlo

A blue LED on the camera blinks slowly when the sync process starts. The blue LED blinks rapidly to confirm syncing.



The camera is ready for viewing.

The LED blinks amber if the sync is not successful. You must repeat the sync process.

Syncing more than one camera?

Go to Page 9 and repeat steps 5a through 5d for each camera.

6 Place or Mount Your Cameras

You can place your camera on a shelf or other flat surface, or you can mount it to the wall.

Tip: Use the Arlo app in Position mode (found in Camera Settings) to help aim the camera.

To mount your camera to the wall:

Fasten the mounting screw into the wall, and hang the magnetic mount from the screw.

If you're mounting the camera to drywall, be sure to use the plastic drywall anchors that are provided.



7 Charge Your Arlo Pro Battery


The Arlo Pro battery is fully charged when it leaves the factory.

> To recharge the battery:

the battery.

- a. Connect the power adapter cable to the camera power adapter.

 Note: You must use an Arlo Pro power adapter and cable to charge
- b. Connect the other end of the adapter cable to the camera.
- c. Plug the power adapter into an electrical outlet.



The camera LED lights solid blue when the camera battery is fully charged.




You're Done!

Congratulations! Your Arlo System is set up and ready to go.

To view useful tutorial videos, find troubleshooting tips, or get support, visit https://www.arlo.com/support/.

Base Station LED Guide



14

©NETGEAR, Inc., NETGEAR, the NETGEAR Logo, and Arlo are trademarks of NETGEAR, Inc. Any non-NETGEAR trademarks are used for reference purposes only.

Compliance

For the current EU Declaration of Conformity, visit http://kb.netgear.com/app/answers/detail/a_id/11621/.

For regulatory compliance information, visit http://www.netgear.com/about/regulatory/.

NETGEAR°

350 East Plumeria Drive San Jose, CA 95134, USA NETGEAR INTL LTD
Building 3, University Technology Centre
Curraheen Road, Cork, Ireland

October 2016



201-20408-02